

Quantum Qguar Sp. z o.o.

QGUAR APS – one of many solutions in SCE software portfolio





APS (Advanced Planning & Scheduling) -

IT solutions class, which allows for composing and optimisation of complex production plans.

Qguar APS:

APS class solution, supporting management and planner in sophisticated production scheduling and optimisation

APS Planning Results Ad	ministration								- 12	Lov
'lan's versions:	ministration									rel
Date of creation	Name				Crea	ited by		Cho	sen	
2016-04-12 09:10:07	Current plan (not sa	aved)			PLA	NNER		Yes		
2016-04-12 09:07:04	Version no. 4 (First	FIT)			PLA	NER		No		
2016-04-12 09:06:52	Version no. 3 (SJF)				PLA	NER		No		
2016-04-12 09:06:47	Version no. 2 (NEH)			PLA	NNER		No		
2016-04-12 09:06:42	Version no. 1 (Prior	yty and lead time)			PLA	NNER		No		
Q Search										Dele
lan's version rating:										
Criteria's name				Values			Relative value			
Idle and downtime time	-			139d 20min)			70%		
The absolute net production	n time			58d 3h 54m	in			99%		
The duration of production				4d 4h 59min	1			47%		
The absolute time gross pr	roduction			58d 23h 40r	nin			100%		
Idle time				139d 20h 6r	nin			71%		
Orders in time				28				20%		
The number of changeove	rs			28				7%		
Changeover time				19h 46min				1%		
The degree of fulfillment of	priorities			28			-	100%		
O Search										_
Q 000101										
Plan Stop	Finished	Keep plan\'s version	Confirm plan\'s choice	Schedule	Rate plan\'s version	Rate	Plan\'s comparis	Refresh	Save	XCa
	Timbred	plan\'s version	plan\'s choice		plan's version	plan			1	

Lowering of costs and optimisation of production and related processes time :

✓ Production to order

✓ Processes which require frequent and not predictable changes in the production schedule

✓ Products which require many components or complicated manufacturing processes

✓ Production by using many, different resources

✓ Manufacturing many different products in one factory.

Company as element in the supply chain and main Quantum's solutions



General QGUAR APS flow-chart (split into main processes)









Data architecture

Data structure in Qguar APS allows for adaptation of the solution to production organisation scheme in the company.





Data from external solutions

Production orders

Technology of production (including resources to be used for orders completion)

Information about order's progress (MES)

(from location – to location)

Qguar APS internal configuration data

- ✓ Masterdata (callendars, resources)
- ✓ Set up times scheets
- ✓ Schedule's configuration (indicators)
- ✓ Orders for completion of single works



Features

- ✓ Unlimited number
- ✓ Identification of days off and holidays
- ✓ Definition of name and scope of validity
- ✓ Each day can have different hours structure

Generation of fre	e days and absences e days and absences						- X		
Date From:		😷 To:				1	3		
Calendar kind:			4		Apri	2010	6 🔻		
Employee:			S	М	Т	W	Т	F	\$
Employee.			27	28	29	30	31	1	
			3	4	5	6	7	8	
Return:			10	11	12	13	14	15	10
			17	18	19	20	21	22	2
Free days			1	25	20	21	28	29	3
Monday	Wednesday	Friday	-	: 6)	10	19	्र ।		
Tuesday	Thursday	Saturday			4	oday			
	Ger	erate							
				;	K Ca	ncel			







Subordinate resources

Features	
 Production capacity limited/unllimited, daily/weekly 	
✓ Resources	Subordinate 🔻
altenative/subordinate	
✓ Optimal load	 ✓ Warehouse, storage location ✓ Form / matrix
✓ Efficiency	✓ Tool
✓ Work callendar	✓ Accessories
	✓ Transportation / route

Subordinate resources have assigned callendar, which together with callendar of main resource create a grid for schedule definition





🕐 Start 🖄 💼 💽 🔀 🛄 💷 Productio...





🕐 Start 🖉 🛄 💽 🚺 📰 Productio....



Charakteristics



Code	Nar		Description	Attribute's definition	Administration		Modified attribute	Possibility of parallel setup	Pre - configuration	
FORMAT	FOI	ORMAT	FORMAT				No	No	No	
KOLOR	KOI	LOR	KOLOR	Code:	UWAGI		Yes	No	No	
TEMPERATUR	A TEM	MPERATURA	TEMPERATURA	Name:	UWAGI		Yes	No	No	
UWAGI	UW	VAGI	UWAGI	Description:	UNMAGI		Yes	No	No	
				Description.	OWAGI					
				Data type:	CIĄGŁY 💙					
				Values kind:	TEKSTOWY					
						The second se				
				Product's attribute	Batch's attribute	Modified attribute				
				🔲 Pre - configuration	n 📄 Possibility of parallel setup					
				- Attribute's values -						
				14 4 Page	1 🕨 🕅 🔍 🍸 👅 🔤 Quantity of rows of	on site 200 >>>				
				Values		Pre - configuration				
				SIZE		Ves				
				TEMP		No				
				1 LIVIE		NO				
						Add Change ODelete				
						GNew MSave X Cancel				
	- C C		<i>c</i>							
	Definition of c	characteristics	tor							
	onorations/pr	raducts used fo								+ Add / Change Delete
	operations/pr	roducts used it	זנ							X Finish
db c	identification	of set un time	s in case of				_		_	
9	lucilitication	or set up time	.5 III case of							
	operations with	ith different fea	atures						PL 🎰 🧏 🌜 😹 🗟	😼 🛱 📆 10:08
	_		_							
	14									
	1									
	guar 🔒	DC								
		122								

Input resources

Operations done by using input resources can be done simultanously





Gantt diagram – production orders

Gantt chart for prodution orders is auxiliary diagram for Wykres Gantta dla zleceń jest diagramem pomocniczym obrazującym visualisation of order processinf in time

Qguar MES [Nu	imer sesji: 🔍 🗙							2545																												8	
⇒ C D	localhost:80)80/mes	/deskto	op?app=	=mes&to	oken=1	146045	3540	284																												9 S.
lumer sesji: 3																																					-
) 45	00 15	30	45	00	15	30	45	0	0	15	30	45	00	15	30	4	5	00	15	30	45	00	15	3(45	00	15	30	4	5	00	15	30	45	00	15
														1																							
	Order no (Operatio	n no 📃 F	Product no	All [N	Ma <mark>rk</mark>		Clea	ir.	Sho	w: Or	der no (Operati	on no 🔽	Product	no	Time of la	t operatic	on: 422																	
Machine nr	Capability		00	00	00	20	09 30	30 40	5	0	00	00 10	10 20) 30	30 40	50	00	00 10	20	11 30	3) 4	0	50	00	00 10	20	12 30	30 40	5	0	00	00 10	20	13 30	30 40	50	00
Stove 01	2750 kg / go	dz.	0]	317020	oj										340054	24	1.000			34005	253		3000	D1565				
Stove 02 Virtual Silo	2/50 kg / ga 5000 kg / ga	dz. dz.	0										31702	200												3	4005252		340	05252		340	05253 34005252	34005	3400	1702000	
Mill 01	875 kg / god	z.	4																					Orde Oper	r no: 11 ation n	53556: o: PRA/	3 2014/10	/016709									
Mill 02	875 kg / god	z.	0																				30001	Statu Sess	s: In pr ion nur	ogress nber: 3											
611 03 611 04	8/5 kg / god	z.	8											0000400				34005252						Prod	uct no:	317020	00			4005424						_	
/iii 04 //iii 05	875 kg / god	z.	0											300015	9 19									Plan	ned qua	antity: 5	72									il.	
Aill 06	875 kg / god	7												3400526	2							194	005253	Quar Prog	ntity dor ress: 34	1e: 200 1%					10	34005253				1	
Vill 07	1125 kg / god	dz.												0400025			6	30001565					13000	Plan	ned sta	rt date:	2016-04	-13 00:0	0:00			04000200					
Vill 08	1125 kg / ga	dz.	♥														L						05.05	Time	of com	pletion:	1 godz.	4-13 00. 50 min.	13.00								
Mill 09	625 kg / god	z.	9																					Load	:96%			_									
Mill 10	1500 kg / go	dz.												3000156	5																						
I rolley	500 kg / god	Z.																																			
Default departmen	nt per changes	(lack/surplu	is)									5										1	Do	fin	h	<u>а</u>	ran	hic	mai	kin	а с	for	or	tion	. cta	tuc	
Default departmen	nt per changes	(demand)	-																			•	De	:11110		=, g	Tap	IIIC	IIIdi	KIII	gu	n ob	Jera		i Sta	tus	
Packing departme Packing departme	nt per changes nt per changes	(lack/surpli (demand)	is)							-4 4																											
				•																		1	Tre		r	ont	0.14	rvi	~~~	ofo	urd	orn	roc	occiu	0.0		F
8 8	Cor	trol the ma	chine type	Contro	ol <mark>th</mark> e efficie	ncy Res	sources p	er oper	ations	Hide w	vorking a	rea 💽 Hi	le resou	rces 💽 H	ide finishe	ed 🕒	Edit mo	ode: Slide	Narrowii	ng		•			Jai	em	000		ΞVV		лu	ei þ	TUC	CSSII	ıg		
Start 💋	🕮 🕑 🧯			Prod	uctio	_			_		_	-		_	_	_		-	_	_																	
	6 8																					\checkmark	D١	nar	nic	cha	ang	es c	of ti	me	SCa	ale,	or e	empl	lovn	nent	of
																						or	ie o	fpr	ede	efin	edi	time	e in	terv	val	s			,		
																						/								• •				• • • •	.1		
	n																					v	AL	itm	atic	, CC	onti	gura	aple	e int	or	mat	ion	incl	uair	ıg	
	5.																					de	tail	s of	an	y o	bjed	t p	rese	ente	ed o	on t	he	char	t.		
	CUE	ar																									,										
			ADC	 Main and a second second																																	

Scheduling in QGUAR APS - cryteria



Minimizing of waiting time

Maximizing resource load

Maximizing revenue in the time period

Minimizing delays

Minimizing the greatest delays

Minimizing of deviation from the terms of delivery

Maximizing the implementation of orders priorities

Minimizing set up times



Optimization algorythm depends on the user having the ability to determine weight of each criterion of optimization

Results obtained on the optimization process can be traced by analyzing changes in key indicators

No

Search							Delete
's version rating:							
riteria's name	Values			Relative value			6
le and downtime time	139d :	20min			70%		
he absolute net production time	58d 3l	h 54min			99%		
he duration of production	4d 4h	59min			47%		
he absolute time gross production	58d 2	3h 40min			100%		
le time	139d :	20h 6 <mark>m</mark> in			71%		
rders in time	28				20%		
ne number of changeovers	28				7%		
hangeover time	19h 44	6min			1%		
he degree of fulfillment of priorities	28				100%		
Search							
Keep	Confirm	Rate	Rate		Defeat	Li Caus	Vor
han Stop FINIShed plant's version	plan\'s choice Sched	plan's version	plan	Plan\'s comparis	Refresh	Save	X Cano

Created by

PLANNER

PLANNER

PLANNER

PLANNER

PLANNER



APS

Plan's versions:

Date of creation

2016-04-12 09:10:07

2016-04-12 09:07:04

2016-04-12 09:06:52

2016-04-12 09:06:47

2016-04-12 09:06:42

Planning Results Administration

Name

Current plan (not saved)

Version no. 4 (First FIT)

Version no. 1 (Prioryty and lead time)

Version no. 3 (SJF)

Version no. 2 (NEH)

OPERATIONS BY RESOURCES

list of scheduled operations on particular resources.

Activities to be carried out on a workplace in a line with the production plan

OPERATIONS BY ORDER

list of operations in different orders . Activities to be done in order to carry out given production order.

OPERATIONS BY RECEPIENTS

list of operations for particular recepients. Activities to be done in order to carry out orders for given recepient.

SUBORDINATE RESOURCE

Information about utilization of secondary resources in the created plan.

DETAILS OF THE BATCH CYCLE

Information on implementation of work in the batch resource

DETAILS OF SCHEDULING

List of production operations planned for particullar resources. List of all production operations occuring in the production plan.

Report - example

uction or	ders													6
accion or														
4 Pag	ye 1 ▶ ₽ Q 3	👅 🗖 🛛 Quantity	of rows on site 200									D	isplayed 1 - 6	Ŵ
der no.	Type of shipment	Status	Product number	Planned start date	Planned end date	Actual start date	Planned	Made	Work advancement	Progress	of the article's production	Time us	age	
21840	PACK - Pakowanie	W realizacji	31183	2013-09-03 19:17	2013-09-03 20:12	2014-02-10 13:30	1890	800	42%		42%		127%	
21859	PACK - Pakowanie	W realizacji	4009128	2013-09-04 16:30	2013-09-04 23:01	2014-02-10 13:33	20471	2023	10%		10%		17%	
21879	PACK - Pakowanie	W realizacji	31050	2013-09-03 20:12	2013-09-03 23:59	2014-02-10 13:29	10800	4270	39%		39%		32%	
21910	PACK - Pakowanie	W realizacji	36626	2013-09-06 00:53	2013-09-06 07:11	2014-02-10 13:32	11340	1500	13%		13%		18%	
21989	PACK - Pakowanie	W realizacji	4025153	2013-09-03 02:23	2013-09-03 09:27	2014-02-10 13:33	19440	2000	10%		10%		16%	
22007	PACK - Pakowanie	W realizacji	36499	2013-09-03 23:55	2013-09-04 07:12	2014-02-10 13:31	22032	4000	18%		18%		16%	
's produ	icts													
's produ ∢ ∣ Pag	rets	7 😽 🚍 🛛 Quantity	of rows on site 25									D	isplayed 1 - 2	
r's produ V Pag Suct numb	rcts pe 1 > > Q 7 er Operation	🏹 🏹 🛄 🛛 Quantity type	of rows on site 25 Unit Planned	Made Quality st	tatus Progress of the	production realization					_	D	isplayed 1 - 2	
r' s produ ◀ Pag uct numb 30	rcts pe Q_ er Operation Pakowan	r 🏹 🔜 Quantity type ie	of rows on site 25 Unit Planned szt. 108	Made Quality st 0 20 BAD	tatus Progress of the	production realization 0%					-	D	isplayed 1 - 2	(
r' s produ Pag luct numb 50	rcts Per Operation Pakowan Pakowan	Type le le	of rows on site 25 Unit Planned szt. 108 szt. 108	Made Quality st 0 20 BAD 0 6220 GOOD	tatus Progress of the	production realization 0%						D	isplayed 1 - 2	
°s produ ≪ Pag Det numb 50 50	rcts pe 1 P Q 7 Per Operation Pakowan Pakowan	Type e e	of rows on site 25 Unit Planned szt. 108 szt. 108	Made Quality st 0 20 BAD 0 6220 GOOD	falus Progress of the	production realization 0% 58%						D	isplayed 1 - 2	_
's produ ∢ Pag vet numb i0 i0	rets rer Operation Pakowan Pakowan	ie Cuantty type ie	of rows on site 25 Unit Planned szt. 108 szt. 108	Made Quality st 0 20 BAD 0 6220 GOOD	tatus Progress of the	production realization 0% 58%		_				D	isplayed 1 - 2	
's produ Pag uct numb 10 10	e 1 Pakowan	Correction Country - type ie ie	of rows on site 25 Unit Planned szt. 108 szt. 108	Made Quality st 0 20 BAD 0 6220 GOOD	tatus Progress of the	production realization 0% 58%						D	isplayed 1 - 2	
**s produ 4 Pag 50 50	e 1 P Q 3 er Operation Pakowan Pakowan	C T Quantity type le le	of rows on site 25 Unit Planned szt. 108 szt. 108	Made Quality st 0 20 BAD 0 6220 GOOD	tatus Progress of the	production realization 0% 58%						D	isplayed 1 - 2	(
**s produ Pag S0 S0	icts er Operation Pakowan Pakowan	Quantity type ie ie	of rows on site 25 Unit Planned szt. 108 szt. 108	Made Quality st 0 20 BAD 0 6220 GOOD	tatus Progress of the	production realization 0% 58%						D	isplayed 1 - 2	(





Diagram Pareto czasu trwania przestojów wg przyczyn



APS





Interface - dataexchange



Interfaces – dataexchange: strickt integration with ERP



Interfaces – details of dataexchange

✓ Open interface enabling integration with other solutions

✓ Qguar APS is integrated with Qguar MES

✓ Integration with ERP solutions





Possible indicators enabling definition of the schedule's quality with respect to the assumed value:

- ✓ Idle time and downtime
- ✓ The average delay in days
- ✓ Prodution time
- ✓ Cooperation time
- Degree of implementation of priorities
- ✓ Ahead of the average delivery dates
- ✓ Accelerated order



Advantages of using the QGUAR APS



- Optimization of production scenarios
- ✓ Reaction to production changes
- Definition of critical path, which illustrates the shortest possible time of order completion
- Identification of processes which in case of delay can cause delay of whole order completion.
- \checkmark Definition of bottle necks in production
- Controll over meeting the delivery deadlines
- ✓ Reduction of set up time





Thank you for your time

